

ASPEKTET PSIQIKE TEK PRINDËT E PACIENTËVE EPILEPTIKË

P. Vranica, S. Vranica

Qëllimi: është të paraqiten dukuritë psiqike të familjarëve të pacientëve epileptikë .

Metodologjia: është përdorë metoda e intervistës së 100 prindërve, nënë dhe atë, të pacientëve epileptikë.

Rezultatet: Në mostrën prej 100 prindërve, ka patur dallime në mes të bashkshortëve sa i përket kësaj sfere. Nënkat kanë shprehë brengosje për trashëgimi në 40% të rasteve, shtatëzënësi dhe gjidhënie në 40% të rasteve, ndërsa në 20% të rasteve, kanë shprehë shqetësim për mbarvajtjen e mëtuqjeshme shëndetësore. Tek etërit më e shpeshtë ka qenë pyetja pse mu atyre t'iu sëmurët fëmiu, që është prezantuar në 50% të rasteve, 35% të tyre kanë shprehë brengosje për trashëgimi, ndërsa, në 15% të rasteve, kanë shprehë mllef ndaj bashkëshorteve për lindjen e fëmiut të sëmurë!?

Diskutimi: Në këtë aspekt, egzistojnë dallime psiqike në mes të bashkshortëve. Derisa nënat më të brengosura janë për trashëgimi, shtatëzënësi dhe gjidhënie, etërit më shum shprehin brengosje për vetë dukurinë e sëmundjes në familjen e tyre. Nënkat nuk kanë shprehë mllef për sëmundjen e njajtë të bashkshortit, gjë që nuk ka qenë rasti tek bashkshortët.

Përfundimet: Në bazë të rezultateve tona, brengosjet e prindërve, ndaj fëmijëve të tyre të sëmurë, janë të natyrave të ndryshme, sa i përket mentalitetit specifik të gjinive.

Rekomandimet: Prindët duhet të njoftohen me natyrën e sëmundjes, duhet me përpikëri ti përmbahen këshillave të ekspertëve dhe të pranohet sëmundja e tillë si çdo sëmundje tjetër!

PSYCHOLOGICAL ASPECTS OF PARENTS OF THE EPILEPTIC PATIENTS

S. Vranica, P. Vranica

Goal : to present the psychological aspects of the parents of the epileptic patients.

Methodology: the interview method was used on 100 parents both fathers and mothers of epileptic patients.

Results: out of 100 hundred parents that were interviewed, there were differences between the parents about the subject. Mothers were worried about the hereditary aspect in 40% of the cases, breastfeeding and pregnancy in 40% and the other 20% of the cases they were worried about the wellbeing of their child. 50% of the fathers often asked themselves why their child has epilepsy, 35% of them were worried about the hereditary aspect of epilepsy and the remaining 15 % were angry with their spouses and blamed them?!

Discussion : in this regard there were psychological differences between the parents. Mothers were mostly preoccupied with the hereditary aspect, breastfeeding and pregnancy, fathers were worried about the consequences of the disease in their families. Mothers did not blame their spouses unlike their husbands.

Conclusion : based in our results and regarding the specific gender mentality parents were worried for different reasons about their child's disease.

Recommendations: parents should be told about the nature of the disease, they should strictly adhere to the experts advice and accept the illness such any other illness.

Literature:

1. Arangio, A. (1978). An assessment model: A systematic examination of the psychosocial needs of patients with epilepsy. *Patient Counselling and health Education* 1(2): 75 – 80.
2. Baker, GA. (2002). The psychosocial burden of epilepsy. *Epilepsia* 43(6): 26 – 30.
3. Batzel, LW. et al. (1991). An objective method for the assessment of psychosocial problems in adolescents with epilepsy. *Epilepsia* 32: 202 – 11.
4. Birbeck, GL. et al. (2002). “Seizure reduction and quality of life improvements in people with epilepsy. *Epilepsia* 43(5): 535 – 8.
5. Ellis, N., Upton, D. (2002). Epilepsy and the family: a review of current literature. *Seizure* 9(1): 22 – 30.

6. Thompson, PM., Upton, D. (1992): The impact of chronic epilepsy on the family. *Seizure* 1(1): 43 – 8.